



Drw. nr.	Contents of drawing	Date	Rev. date
S100DM01	Primo Skyline 100 / Basic panel	25.10.2019	14.11.2019
S100DM02	Primo Skyline 100 / Joints overview	12.11.2019	-
S100DM03	Primo Skyline 100 / Corner panel	25.10.2019	14.11.2019


City sector	Block	Site/Reg. nr.	File nr.		
Building type		Drawing type			Nr.
Building, Name and address		Contents of drawing			Scale
		Primo Skyline 100			1:10
		Dimensional drawings			
Date	25.10.2019	Designer	Ruukki	Work nr.	Work nr.
Drawn by	Checked			Drw. nr.	Rev.

Date	25.10.2019	Rev. date	14.11.2019	Work nr.	Draw. nr.	Rev.
Drawn by	Ruukki	Rev.	P03		S100DM01	b
Scale	1:10	Building			File nr.	

From 2-7 fastening holes, equally spaced, max c/c 700 mm



Vertical joint 1:5




panel depth C = 40 mm
 horizontal joint Dh = 5-35 mm
 vertical joint Dv = 5-35 mm
 material thickness t = 4.0 mm (ACM)
 weep holes 15x5 mm at the bottom, max c/c 300 mm

Amin, Bmin = 200 mm
 Amax = 4000 mm
 Bmax = 1000 mm


Date	25.10.2019	Rev. date	-	Work nr.	Drw. nr.	Rev.
Drawn by	Ruukki	Rev.	P03		S100DM02	b
Scale	1:2.5	Building			File nr.	

Horizontal joint logic applies to all panel types


Horizontal joint
(replacable)




Horizontal joint
(hidden fix)



Horizontal joint
(replacable)






Horizontal joint
(hidden fix)



RUUKKI

Contents of drawing
 Primo Skyline 100
 Corner panel
 Dimensional drawing

Date	25.10.2019	Rev. date	14.11.2019	Work nr.	Drw. nr.	Rev.
Drawn by	Ruukki	Rev.	P03		S100DM03	b
Scale	1:10	Building			File nr.	



panel depth C = 40 mm
 horizontal joint Dh = 5-35 mm
 vertical joint Dv = 5-35 mm
 material thickness t = 4.0 mm (ACM)
 weep holes 15x5 mm at the bottom, max c/c 300 mm

Amin, Bmin = 200 mm
 (A1 + A2)max = 4000 mm
 Bmax = 1000 mm